













ADS600™ and ADS600-B™ Compatible Display

Model	Manufacturer	ADS-B Traffic	ADS-B Weather	Interface	Comments
 Xtreme Vision Software (HP iPAQ Travel Companion shown)	SkyVision Extreme	✓	✓	RS232/ Bluetooth	ADS-B Traffic Protocol, ADS-B Weather
 ADVANCED deck AF-4500	Advanced Flight Systems	✓	✓	RS232	ADS-B Traffic Protocol, ADS-B Weather
 Horizon HX & Sport EFIS	Grand Rapids Technologies	✓	✓	RS232	ADS-B Traffic Protocol, ADS-B Weather
 Chartflir	Essential Flight Technology	✓	✓	Bluetooth	ADS-B Traffic Protocol, ADS-B Weather
 FlightLogic EFIS	Chelton Flight Systems	✓	✓	RS232	ADS-B Traffic Protocol, Legacy ADS-B Weather
 Stratomaster Voyager & Odyssey	MGL Avionics	✓	✓	ARINC 429	ARINC Traffic Protocol, ADS-B Weather
 MX20/GMX200	Garmin	✓	✓	RS422	ADS-B Traffic Protocol, Legacy ADS-B Weather
 WingX Pro7	Hilton Software LLC		✓	WiFi	ADS-B Weather
 iFly700/720	Adventure Pilot	✓	✓	iFly700 – USB iFly720-USB,WiFi	ADS-B Traffic Protocol, ADS-B Weather
 Evolution EFD 1000/500	Aspen Avionics	✓		ARINC 429	ARINC Traffic Protocol
 GPSMAP 396/496/696	Garmin	✓		RS232	TIS-A Traffic Protocol
 GNS 430/530 GPS/Nav/Comm, G1000/G600/G500 Flight Decks (GNS 530 shown)	Garmin	✓		ARINC 429	ARINC Traffic Protocol

sales@navworx.com www.navworx.com 888-NAVWORX

- ✚ **ADS-B Traffic Protocol based on DO-282B UAT Specification: Number of traffic targets and traffic range defined by ADS-B system and Display Manufacturer. Precise traffic position including latitude, longitude, altitude, horizontal/ vertical speed/track. Traffic identification includes category of aircraft, call sign, capabilities and GPS accuracy.**
- ✚ **TIS-A Traffic Protocol: Maximum of 8 traffic targets. Range 7 NM, +3,500/-3000 feet of ownship. Target track resolution limited to 45°.**
- ✚ **ARINC Traffic Protocol, ARINC 735B: Maximum of 31 traffic targets, Range 127 NM, +/- 12,700 feet of ownship. Target track 1° resolution. Display Manufacturer may limit maximum number of traffic targets.**
- ✚ **ADS-B Weather includes 12 FIS-B products: AIRMETs, SIGMETs, Convective SIGMETs, METARs, NexRad (CONUS), NexRad (Regional), NOTAMs, PIREPs, SUA, TAF/AMEND, Temperature Aloft, Winds Aloft. Display manufacturer determines which weather products are displayed.**
- ✚ **Legacy ADS-B Weather includes 3 FIS-B products: NexRad (Regional,500 NM), METARs, TAFs**

sales@navworx.com www.navworx.com 888-NAVWORX